

Vertical Slider Window System





















### The NEW VEKA Vertical Slider

VEKA continually invests in its profile systems to ensure they are the most technically advanced on the market. The VEKA Vertical Slider system now has a host of additional features:

- **1.** NEW Run-through Sash Horn offering enhanced aesthetics to complement the traditional sash window style
- 2. NEW Sash Stop End Cap neat aesthetics and a perfect seal to prevent debris such as leaves entering the profile
- **3.** NEW Blanking Strip ensures a perfect interior and exterior finish for foiled on white windows
- 4. NEW Interlock enhanced structural stability
- 5. NEW Bottom Gasket minimises draughts
- 6. NEW 'A' Rating now available



Advanced design enables quick and efficient frame fabrication and glazing with a maximum frame size of 1400mm X 2400mm.

### The choice of installers:

Slimline outer frame (136mm X 68mm) improves installation flexibility – but retains complete compatibility with existing VEKA fixing brackets.

### The choice of homeowners:

A great looking window ensures strong demand from the retrofit sector as well as new-build. The pleasing slimline appearance belies a high performance energy efficient design. Slimline sashes offer improved window aesthetics and maximised Window Energy Rating performance.

### The choice of specifiers:

**VEKA** remains the No.1 choice of social and commercial specifiers throughout Britain and Ireland with a reputation second-to-none for technical excellence and superb good looks. The VEKA Vertical Slider System has been specified for use in conservation areas and listed buildings.





### More choice

### **COLOURS:**

- Brilliant White Golden Oak on Caramel
- Golden Oak on White Rosewood on Brown
- Rosewood on White White Woodgrain on White Other colours available on request.

### HORNS:

- NEW run-through horns now available
- Clip-in horns also available
- Available without horns for a more contemporary look







## ... a modern classic window system



### CILL:

- Universal design allows for either overhanging or stub cill.
- Rear projection resulting in less complex fabrication.
   Standard leg detail enables the use of existing VEKA fixing brackets.

### **GEARING:**

- Bespoke gearing features to allow fabricators free choice of suppliers including heavy duty spring balances
- Profile allows for correct and secure location of gearing fittings
- Provision for fitting of trickle vents within frame head

### **GLAZING THICKNESS:**

- Designed primarily for use with 28mm glazing thickness
- Can be used with Matrix 58 bead range to accommodate other glazing thicknesses if required


### **BOTTOM SASH:**

- Choice of two bottom sash options Four-sided fully welded or Three-sided fully welded
- Mechanically coupled deep bottom rail
- NEW bottom gasket









**VEKA** plc

# The Vertical Slider Window System from **VEKA**

A rating available

Run-through sash horns available
Slimline sash

Range of colours including foil on white and white woodgrain



VEKA plc Farrington Road, Rossendale Road Ind. Est, Burnley, Lancashire, BB11 5DA.

Tel: 01282 716611 Fax: 01282 725257 e-mail: salesenquiry@veka.com